

SARAH R. STAR, ESQ. RECEIVED

ATTORNEY AND COUNSELOR AT LAW APR -2 PM 2:59

6 MILL STREET P.O. BOX 106, MIDDLEBURY, VT 0575 DIRECTOR'S OFC.

Ph: (802) 385-1023 Email: srs@sarahstarlaw.com

March 17, 2015

BY CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Robert Werner Enforcement Officer (6SF-TE) United States Environmental Protection Agency Region 6 1445 Ross Avenue Dallas, TX 75202

Re: General Notice Letter for the CES Environmental Services, Inc. – Houston Superfund Site directed to Zap-Lok Pipeline Systems, Inc.

Dear Mr. Werner:

I am writing on behalf of what was formerly Zap-Lok Pipeline Systems, Inc ("Zap-Lok"). Zap-Lok was a business owned by my father (affiant, David B. Roberts), and is no longer in operation. Zap-Lok typically employed 15-30 people and was a Massachusetts corporation registered to do business in Texas, where it assembled pipelines (mostly small gathering lines) using a hydraulic press as an alternative to welding. The Zap-Lok technology was sold to another company in 2012, and my father has retired. He asked me to draft this letter.

In its preparation of pipe for joining by the Zap-Lok machine (hydraulic press) soapy water was applied to the ends of the pipe as a lubricant. This process is described in greater detail in the Affidavit attached hereto as Exhibit A. The lubricant soap that was used is called "Liqui-Lube" and is non-toxic and non-hazardous. The MSDS for Liqui-Lube is also attached, and as you can see, it does not fall under any CERCLA designation. The soap (which was diluted to 3% soap, 97% water) was collected on several occasions by CES before Zap-Lok learned of that company's difficulties. Mr. Roberts and I have reviewed Zap-Lok's records and have concluded that the soapy water is the only substance ever handled by CES on behalf of Zap-Lok. We hope that you examine the materials we have provided and conclude that no further action is required by Mr. Roberts regarding this matter.

Thank you for your important work, and please feel free to contact me with any questions.

Sincerely,

Sárah Star, Esq.

AFFIDAVIT OF DAVID B. ROBERTS

- I, David B. Roberts, of Boston, Massachusetts, on oath, swear and affirm that the following is true and accurate to the best of my knowledge:
 - Until 2012, I was the sole owner and president of Zap-Lok Pipeline Systems, Inc., a
 Massachusetts Corporation registered to do business in Texas. I am now retired.
 - 2. I am familiar with the company's records, and I have completed a thorough review to identify any waste shipments between Zap-Lok and CES Environmental Services. .All of the manifests and records show that all shipments, including those identified in EPA's General Notice Letter for the CES Environmental Services, Inc. Houston Superfund Site dated February 27, 2015, were comprised entirely of non-hazardous substances specifically, soap and water.
 - 3. The material identified in the manifests and records originated from mixing water with "Liqui-Lube," an MSDS for which is attached hereto as Exhibit B. This mixture was then used as a lubricant for a process that involved expanding, or stretching, cold steel pipe with a mandrel. The lubricant was then rinsed off the pipe with water, and the rinse water was collected in large tanks for removal. The soapy water consisted of approximately 3 % Liqui-Lube and 97% water.
 - 4. As shown on the MSDS, the active ingredients in Liqui-Lube are water, plus three different potassium soaps potassium cocoate (a/k/a potassium coco soap, derived from whole coconut oil); potassium soyate (a/k/a potassium soya soap derived from whole soya oil); and potassium tallate (a/k/a potassium soap of tall oil derived from pine pulp). As shown on the MSDS, Liqui-Lube and its ingredients are non-hazardous.

5. I have compared the listed ingredients of Liqui-Lube shown on the MSDS to the lists of chemical compounds defined as "hazardous substances" under Section 101(14) of CERCLA. Neither Liqui-Lube nor any of its ingredients appears in the lists of hazardous substances under CERCLA. Therefore, the soapy mixture of water and Liqui-Lube shipped between Zap-Lok and CES Environmental Services was not a hazardous substance as defined under CERCLA.

VERIFICATION

I, David B. Roberts, on oath, do swear and affirm that the foregoing affidavit is true and correct to the best of my knowledge.

March 30, 2015

Date

David B. Roberts

Commonwealth of Massachusetts

City of Boston, to wit:

Sworn to and subscribed before me by David B. Roberts this <u>30</u> day of <u>lack</u> 2015.

Notary Public

MATERIAL SAFETY DATA SHEET



LIQUI-LUBE

HMIS NFPA		Personal protective equipment									
Health	2	2	1	as All							
Fire Hazard	0	0		M							
Reactivity	0	0									
Version Number: 1					Preparation date: 2008-01-25						

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LIQUI-LUBE

MSDS #:

DUB00005

Product Code: Recommended use: 02850012, 02850481 Concentrated Lubricant.

Manufacturer, importer, supplier:

JohnsonDiversey, Inc. 3630 E. Kemper Rd. Cincinnati, OH 45241 Phone: 1-800-438-2647 Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle

Oakville, Ontario L6H 6P1 Phone: 1-800-668-7171

Emergency telephone number:

1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING. CAUSES EYE AND SKIN IRRITATION.

Principle routes of exposure:

Eye contact. Skin contact. Inhalation.

Eye contact: Skin contact: Severe eye irritation.

Moderately irritating to the skin.

Inhalation:

May be irritating to nose, throat, and respiratory tract. May cause irritation to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

None

4. FIRST AID MEASURES

Eye contact:

Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention.

Skin contact: Inhalation:

Flush immediately with plenty of water. If irritation persists, get medical attention. If breathing is affected, remove to fresh air. Get medical attention immediately.

: If breathing is affected, remove to

Ingestion:

Give a cupful of water or milk . THEN IMMEDIATELY CONTACT A PHYSICIAN OR POISON CENTER. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to

an unconscious person.

Aggravated Medical Conditions:

Persons with pre-existing skin disorders may be more susceptable to irritating effects.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Dry chemical, water spray, foam, carbon dioxide.

Specific hazards: Unusual hazards:

Not applicable None known

Specific methods:

No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Contaminated surfaces will be extremely slippery. Use personal protective equipment.

LIQUI-LUBE

1 of 3

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Prevent product from entering drains. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eye protection: Hand protection: Chemical-splash goggles. Chemical-resistant gloves

Skin and body protection:

No special protective clothing is required.

Respiratory protection:

No special requirements under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Liquid 11.5

pH: Appearance:

Aqueous solution

Color:

Red. Brown

Odor: Specific gravity: Mild 1.02

Density: VOC:

8.5 lbs/gal 0% *

Flash point:

>200°F >93.3°C completely soluble

Solubility: Viscosity:

No information available

Bulk density:

Dilution pH: Vapor density:

Evaporation Rate

Boiling point/range:

Melting point/range:

Not determined Decomposition temperature: Not determined

Autoignition temperature:

No information available Partition coefficient (n-octanol/water): No information available Solubility in other solvents: No information available

No information available

No information available

No information available

Not determined

9.5 (1%)

Elemental Phosphorus: 0 %P

10. STABILITY AND REACTIVITY

Stability:

Polymerization:

Hazardous decomposition products:

Materials to avoid:

Conditions to avoid:

The product is stable Hazardous polymerization does not occur

None reasonably foreseeable.

Oxidising agents. Acids.

Do not freeze.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: **Component Information:** Oral LD50 estimated to be between 4000 - 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg. See Section 3

Chronic toxicity:

None known

Specific effects

Carcinogenic effects:

Mutagenic effects: Reproductive toxicity: Target organ effects:

None known None known

None known None known

12. ECOLOGICAL INFORMATION

Environmental Information:

No data available

^{* -} Title 17. California Code of Regulations, Division 3. Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

13. DISPOSAE CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations.

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), New Zealand (NZIoC), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

ĺ	Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
` '	Water	7732-18-5		• • • • • • • • • • • • • • • • • • •	to the state of th	
٠ [Potassium cocoate	61789-30-8	/** <u>-</u>	•		344 1 4
	Potassium Soyate	61790-24-7		•	·-	j* <u>+</u> _ j = 444
. [Potassium tallate	61790-44-1	-		· · · · · ·	

CERCLA/ SARA

None

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate:
Delayed:
Fire:
Reactivity:
Sudden Release of Pressure:

Canada

WHMIS hazard class: D2B Toxic materials.



16. OTHER INFORMATION


Reason for revision: Prepared by: Not applicable NAPRAC None

Prepared by: Additional advice:

lone pared using data from sources considered technically reliable. It o

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

LIQUI-LUBE



04/02/15 11:48



Mr. Robert Werner

United States Environmental Protection Agency Region 6

1445 Ross Avenue Dallas, TX 75202

1 of 1

5202273399

- Ոլիդիդիվությունիկաննայննիչինյունցիանիկին